



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/674,669

09/30/2003

Mario Elmen Tremblay

8598MR

5011

27752

7590

07/26/2007

THE PROCTER & GAMBLE COMPANY  
INTELLECTUAL PROPERTY DIVISION - WEST BLDG.  
WINTON HILL BUSINESS CENTER - BOX 412  
6250 CENTER HILL AVENUE  
CINCINNATI, OH 45224

EXAMINER

ZHENG, LOIS L

ART UNIT

PAPER NUMBER

1742

MAIL DATE

DELIVERY MODE

07/26/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

**Application No.**

10/674,669

**Applicant(s)**

TREMBLAY ET AL.

**Examiner**

Lois Zheng

**Art Unit**

1742

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 16 May 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Status of Claims***

1. Claims 1, 9 and 15 are amended in view of applicant's amendment filed 16 May 2007. Therefore, claims 1-15 are currently under examination.

### ***Status of Previous Rejections***

2. The rejection of claims 1-15 under 35 U.S.C. 112, second paragraph, is withdrawn in view of applicant's amendment filed 16 May 2007.

### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kelley US 6,306,281 B1(Kelley) in view of Gram et al. US 4,761,208(Gram).

Kelley teaches an electrolytic apparatus for the generation of chlorine dioxide(abstract). The apparatus comprises an aqueous sodium chlorite feed solution(col. 2 lines 55-61), a non-membrane electrolysis cell comprising an anode, a cathode, an inlet, an outlet(Fig. 1) and a power source connected to the anode and the cathode(col. 3 lines 18-21).

Regarding claim 1, the inlet, the gap between the anode and the cathode of Kelley and the outlet read on the claimed passage for the feed solution adjacent to the anode.

In addition, the claimed concentration limitations on the aqueous feed solution and the effluent are directed to a material that is worked on by the instantly claimed apparatus. As stated in MPEP 2115, it is well settled that "Expressions relating the apparatus to contents thereof during an intended operation are of no significance in determining patentability of the apparatus claim." *Ex parte Thibault*, 164 USPQ 666, 667 (Bd. App. 1969). Furthermore, "[i]nclusion of material or article worked upon by a structure being claimed does not impart patentability to the claims." *In re Young*, 75 F.2d 996, 25 USPQ 69 (CCPA 1935) (as restated in *In re Otto*, 312 F.2d 937, 136 USPQ 458, 459 (CCPA 1963)). Therefore, the instantly claimed concentration limitations on the solution being worked on by the claimed apparatus do not render the claimed apparatus patentable. Kelley also teaches that the sodium chlorite is present in the feed at a concentration ranged of 0.01-5.0wt% (col. 3 lines 26-27), which overlaps the claimed concentration range of about 10ppm to about 1000ppm. Kelly further shows in various examples that its apparatus is capable of electrolyzing feed solutions with various sodium chlorite concentrations and produces a wide range of different final chlorine dioxide concentrations. Since the structure of Kelley's chlorine dioxide generating apparatus is the same as claimed apparatus and is capable of working with a wide variety of feed sodium chlorite concentrations and producing a wide variety of chlorine dioxide concentrations as desired, the examiner concludes that the apparatus of Kelley is inherently capable of working with the claimed aqueous feed solution concentration and produce the claimed effluent concentration.

However, Kelley does not explicitly teach the claimed battery, batteries, solar power and a mixture thereof.

Gram teaches utilizing an electrolysis cell to sterilize water(abstract). Gram further teaches that the electrolysis cell is a low voltage cell wherein the power source to the electrolysis cell can be a battery for portability(col. 4 lines 31-35) or a panel of solar cells(col. 6 lines 20-25), or an AC power source(col. 7 lines 55-57).

Therefore, it would have been obvious to one of ordinary skill in the art to have incorporated the battery power source as taught by Gram into the electrolysis cell of Kelley in order to make the cell portable as suggested by Gram.

5. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kelley in view of Gram, and further in view of Spence US 4,414,070(Spence).

The teachings of Kelley in view of Gram are discussed in paragraph 4 above. However, Kelley in view of Gram do not explicitly teach the claimed gap between the anode and the cathode.

Spence teaches that the efficiency of electrolytic cells is dependent upon the anode-cathode distance, and that as the distance decreases the efficiency increases (col. 1, lines 24-29). Therefore, Spence's teaching shows that the gap between an anode and a cathode is a result effective variable.

Therefore, it would have been obvious to one of ordinary skill in the art to have routinely optimized the gap between the anode and the cathode in the electrolysis cell of Kelley in view of Gram as suggested by Spence to achieve a minimized spacing,

Art Unit: 1742

such as 0.5 mm or less as claimed, in order to maximize the cell efficiency as taught by Spence.

6. Claims 3-5 and 7-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kelley in view of Gram, and further in view of Kaczur et al. US 5,106,465(Kaczur).

The teachings of Kelley in view of Gram are discussed in paragraph 4 above. Kelley further teaches the use of a dimensionally stable platinum coated titanium anode(col. 3 lines 13-18).

However, Kelley in view of Gram do not explicitly teach that the metal anode is porous.

Kaczur also teaches an electrolytic cell for the generation of chlorine dioxide (abstract). Kaczur further teaches the use of a porous platinum coated titanium anode(col. 4 lines 41-63).

Regarding claim 3, it would have been obvious to one of ordinary skill in the art to have incorporated the porous platinum coated titanium anode of Kaczur into the electrolytic apparatus of Kelley in view of Gram in order to utilize the high surface contact area due to the porosity of the anode and achieve high corrosion resistance as taught by Kaczur(col. 4 lines 44-45 and 57-60).

Regarding claims 4-5 and 7-8, Kazcur further teaches that chlorine dioxide is widely used as a disinfectant in water treatment/purification(col. 1 lines 16-19). Therefore, it would have been obvious to one of ordinary skill in the art to have established an interface between the chlorine dioxide generator of Kelley in view of Gram and any appliances that requires water disinfecting and purification, such as the



claimed water purifier, water fountains, refrigerators, etc. in order to effectively purify water as taught by Kazcur before consumption. In addition, the connection between the electrolytic cell and the water inlet of the appliance and the water/ice dispensing device of the appliance would have inherently been present in the apparatus of Kelley in view of Gram and Kazcur in order to purify untreated water into the appliance and convert it into purified water being dispensed for consumption.

7. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kelley in view of Gram and Kaczur, and further in view of DE 100 17 407 A1 (DE'407).

The teachings of Kelley in view of Gram and Kaczur are discussed in paragraph 6 above. However, Kelley in view of Gram and Kaczur do not explicitly teach that the halogen dioxide generator is interfaced with an appliance via a connection of water inlet line to the inlet of the electrolytic cell and an connection of an outlet line from the outlet of the electrolysis cell to the inlet of the appliance.

DE'407 teaches an electrolytic apparatus for continuously treating/purifying water via electrolysis of chlorine dioxide from sodium chlorite (page 4 paragraph 0016, pages 5-6 paragraph 0021).

Therefore, it would have been obvious to one of ordinary skill in the art to have incorporated the continuous water treatment of DE'407 into the apparatus of Kelley in view of Gram and Kaczur in order to achieve simple handling, safe production and reduced cost as taught by DE'407 (page 4 paragraph 0016).

Regarding claim 6, the feed line as taught by Kelley in view of Gram, Kaczur and DE'407 reads on the claimed connection of a water inlet line. In addition, it would have

been obvious to one of ordinary skill in the art to have added the claimed connection from the outlet of the electrolytic cell to the inlet of an appliance as claimed in order to allow the consumption of purified water in various appliances.

8. Claims 9-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kelley in view of Gram, and further in view of Zappi et al. US 6,328,875 B1(Zappi), and further in view of Cowley et al. US 5,965,004(Cowley), and further in view of DE '407.

The teachings of Kelley in view of Gram are discussed in paragraph 4 above. However, Kelley in view of Gram do not explicitly teach the claimed non-conducting porous flow barrier separating the anode and the cathode and the claimed return passage for returning the depleted effluent back to the source.

Zappi teaches an electrolysis cell for purifying contaminated water(abstract). Zappi further teaches that its electrolysis cell can also be used for electrochemical synthesis of chlorine dioxide(col. 8 lines 53-62). Zappi's electrolysis cell includes non-conductive porous mesh spacers positioned between the electrodes to provide desired inter-electrode spacing(Fig. 4 numeral 23, col. 10 lines 18-21, col. 12 lines 32-38).

Therefore, it would have been obvious to one of ordinary skill in the art to have incorporated the non-conducting porous mesh spacer as taught by Zappi into the electrolysis apparatus of Kelley in view of Gram in order to provide desired spacing between the anode and the cathode as taught by Zappi.

Cowley teaches an electrolytic cell for generating chlorine dioxide(abstract). Cowley further teaches recycling or reverting the remaining processing fluid after electrolysis back to the feed tank containing sodium chlorite solution(Fig. 1, #42).



Art Unit: 1742

Therefore, it would have been obvious to one of ordinary skill in the art to have incorporated the recirculation setup of Cowley into the electrolytic cell of Kelley in view of Gram and Zappi in order to achieve a highly efficient, continuous and effluent free operation as taught by Cowley(col. 1 line 62 – col. 2 line 2).

DE'407 teaches that chlorine dioxide is reduced to chlorite when treating water (page 6 paragraph 0021). Therefore, one of ordinary skill in the art would have found the claimed reversion to halogen dioxide salt(i.e. chlorine dioxide salt) from halogen dioxide(i.e. chlorine dioxide) inherently taking place when the electrolytic apparatus of Kelley in view of Gram, Zappi and Cowley is in use in light of the teachings of DE'407.

Regarding claim 9, the remaining claim limitations are rejected for the same reasons as stated in the rejection of claim 1 above. The apparatus of Kelly in view of Gram, Zappi, Cowley and DE'407 and their battery power source are capable of converting "a portion of halogen dioxide salt in the passage to halogen dioxide, and thereby forms an aqueous effluent comprising halogen dioxide" as claimed.

Regarding claims 10-11 and 13-14, Cowley further teaches that chlorine dioxide can be used for water purification(col. 1 lines 11-14). Therefore, it would have been obvious to one of ordinary skill in the art to have established an interface between the chlorine dioxide generator of Kelley in view of Gram, Zappi, Cowley and DE'407 and any appliances that requires water disinfecting and purification, such as the claimed water purifier, water fountains, refrigerators, etc. in order to effectively purify water as taught by Cowley before consumption. In addition, the claimed connection between the electrolytic cell and the water inlet of the appliance and the water/ice dispensing device

of the appliance would have inherently been present in the apparatus of Kelley in view of Gram, Zappi, Cowley and DE'407 in order to purify untreated water into the appliance and convert it into purified water being dispensed for consumption.

Regarding claim 12, the instant claim is rejected for the same reason as stated in the rejection ground of instant claim 6 above.

Regarding claim 15, Kelley in view of Gram, Zappi, Cowley and DE'407 teach the claimed cell chamber and electrolysis cell with an anode, a cathode and a porous barrier separating the anode and the cathode. Kelley further teaches the claimed power source connecting to the anode and the cathode.

Cowley further teaches a feed tank connecting to the electrolysis cell via a passage(Fig. 1 # 12, 14). Therefore, it would have been obvious to one of ordinary skill in the art to have incorporated the feed tank as taught by Cowley into the apparatus of Kelley in view of Gram, Zappi, Cowley and DE'407 in order to provide feed source to the electrolysis cell.

Zappi further teaches pumping means for pumping the feed to the electrolysis cell(col. 3 lines 29-32 and 59-61). Therefore, it would have been obvious to one of ordinary skill in the art to have incorporated a pump as taught by Zappi into the apparatus of Kelley in view of Gram, Zappi, Cowley and DE'407 in order to directing feed solution to the electrolysis cell.

#### ***Terminal Disclaimer***

9. The terminal disclaimer filed on 16 May 2007 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of

US Patent No. 7,048,842 B2 has been reviewed and is accepted. The terminal disclaimer has been recorded.

### ***Double Patenting***

10. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

11. Claims 1-8 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1, 24, 26-32, 55, 57-62, 63, and 86-93 of copending Application No. 10/027667 in view of DE'407. Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 1, 24, 26-31, 32, 55, 57-62, 63, and 86-93 of copending Application No. 10/027667 teaches an electrolytic apparatus that is structurally similar to that of the instant invention.

However, 10/027667 does not explicitly teach the connection between the electrolytic cell and the appliance.

The teachings of DE'407 are discussed in paragraph 7 above.

Since claims 29-31, 60-62 and 91-93 of 10/027667 teaches that the apparatus is adapted to be used in appliances such as water purification devices, refrigerator, etc., it would have been obvious to have incorporated continuous water treatment of DE'407 into the apparatus of 10/027667 in order to achieve simple handling, safe production and reduced cost as taught by DE'407. The connection of between the electrolysis cell and an appliance's water inlet and water/ice dispensing device would have been inherent in light of the teachings of 10/027667 in view of DE'407.

In addition, the amended concentration limitations for the feed solution do not lend patentability for the instantly claimed apparatus since they are directed to a material being worked on by the claimed apparatus. See MPEP 2115.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

### ***Response to Arguments***

12. Applicant's arguments filed 16 May 2007 have been fully considered but they are partially moot in view of the new grounds of rejections as set forth above.

In the remarks, applicant argues that the obviousness-type double patent rejection based on copending US Application No. 10/027667 is not appropriate since US Application No. 10/027667 does not disclose a same subject matter as the instant invention and is being subjected to an obviousness rejection.

The examiner does not find applicant's argument persuasive since obviousness-type double patenting rejection is appropriate where the conflicting claims would have been obvious over reference claims. See MPEP 804. Since an obviousness analysis has been established based on US Application No. 10/027667 in view of DE'407 as set forth in paragraph 11 above, the examiner considers that the obviousness-type double patent rejection is proper.

Applicant's remaining arguments are moot in view of the new grounds of rejection set forth above.

### ***Conclusion***

13. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lois Zheng whose telephone number is (571) 272-1248. The examiner can normally be reached on 8:30am - 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King can be reached on (571) 272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LLZ

  
ROY KING  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1742